// PURO ITALIAN DESIGN COLLECTION 2019












// Centro Stile Mobilvetta V CONCEPT V-concept


We came up with the V-Concept with the desire to highlight all the elements that have always distinguished the Mobilvetta brand. Craftsmanship, design, style and elegance combined beneath the distinctive Mobilvetta V. The V Concept is to be found in the design of the wall units in continuity with the ceiling panels of the modern Yachts, in the armrests of the V-Sofa and in the upstands of the tops for kitchen and bathroom.














ELEMENTS OF THE

DESIGN

V-concept


























// FOUR DIFFERENT STYLES FOR EXPERIENCING DESIGN





Seductive practicality





Enchanting versatility





Appealing functionality




// DOUBLE INTERIOR FURNITURE VARIANT

K-YACHT TEKNO LINE












THE TEKNO DESIGN DAY AREA

// Concept

We started with the idea of bringing a genuine home sofa into the leisure vehicle as a development to the conventional L-shaped dinette: we designed an ergonomic two-seater sofa with armrests for the utmost comfort when travelling and relaxing.


// Multifunction

The table with book-type opening, which can be moved and rotated 360°, permits maximum functionality in supporting for various activities, from reading a magazine to a comfortable meal for several people.























CLASSICO VARIANT Rotating TV holder Sofa with adjustable headrest Large storage Maxi **Usb** input **Double-density expanded** compartments rooflight polyurethane seats 360° // K-Yacht Tekno Line 89 Brightness regulator Equipped sliding column Ergonomic seats with double armrests and **Dinette base** Table with 360° **Storage** with fabric compartment rotation system

upholstery

integrated belt









// APPEALING FUNCTIONALITY




TRAVELLED IN

SUCH COMFORT








THE TEKNO DESIGN KITCHEN AREA

// Concept

We worked the V Concept into the spaces of the kitchen, shaping the top into a continuous surface which, thanks to the LIGHT STONE single-piece forming technology, allowed us to extend it to create the back and seat of the dinette


// Multifunction

Studying the design for the worktop allowed us to create a maxi sink equipped with two flush covers: the larger one can be turned over for use as a cutting board, and the smaller as an additional top to fix to the wall, while together they create a large support surface. The shaped stainless steel utensil holder becomes a handy drip tray to insert in the sink for food preparation.




























CLASSICO VARIANT




















THE TEKNO DESIGN NIGHT AREA

// Concept

Enveloping, welcoming space for resting. Marine ceiling panel in continuity with the wall units and headboards

// Multifunction

The surfaces of the bedside tables and base of the bed are covered in eco leather to ensure maximum comfort when moving around at night.


Oblo panoramico V-SKy Rivestimento in ecopelle









Anti-mite treatment
Washable















CLASSICO VARIANT




















THE TEKNO DESIGN TOILETTE AREA

// Concept

We worked the V Concept into the toilette area, making the top out of LIGHT STONE: the sink, toothbrush holder and liquid soap dispenser are integrated with its sinuous profile.

// Multifunction

The wall-mounted mixer can be rotated to free up space for accessing the sink. We also created a heated vertical compartment with pull-out towel holder from the top's upstand.



THE TOILETTE // AREA








THE TOILETTE // AREA








THE TOILETTE // AREA



CAPPUCCINO VARIANT






THE TOILETTE // AREA








THE TOILETTE // AREA





















CLASSICO VARIANT


















// MOBILVETTA FABRIC VARIANTS













CLASSICO / CAPPUCCINO VERSION

CAPPUCCINO VERSION



















K. Silver i



K.Silver






// FLOOR HEATING

Floor heating with self-regulating polymeric heating cables.* Heat spread over the whole area.

- Energy efficiency and costs saving
- No risk of overheating
- Automatically adapted heat emission (OPT KEA M, KEA P, K-Silver / STD K-Yacht Tekno Line and K-Yacht Tekno Design).



(*) By heated folie on K-Yacht Tekno Design.



CP PLUS

Central heating system control board Boost function for both a fast water and environment heating. Timer Heat regulator.



WINTER PACK

Waste water tank coated with 20 mm insulating material and with anti-freezing resistor (KEAP, KEA M, K-Yacht Tekno Line and K-Silver).



THE WINDSHIELD

Windshield with double function: defroster in winter season and solar heat protection during the summer (OPT K-Silver i, K-Yacht Tekno Line and K-Yacht Tekno Design).



DASHBOARD / WINDSHIELD PROTECTION

Greater windshield protection against cold / heat. Greater protection against cold draughts inside the passenger compartment. (OPT).


// THE BODY STRUCTURE



- Waterproofing
- □ Heat insulation
- □ Stability
- □ Easy maintenance
- □ Hight mechanical strenght
- □ Lighter walls
- □ Better soundproofing









// Side, rear walls & roof

Wood-free supporting frame made of newly designed plastic resins. Fibreglass underbody coupled with non-slip PVC highly resistant to abrasion. Lighter structure and higher mechanical strength than the traditional wooden panels. Elimination of thermal bridges generated by the wood with higher heat insulation. Easy maintenance. Frame assembly with sound-absorbing materials for a better soundproofing.



// The floor structure

Wood-free supporting frame. Exclusive design profiles with high strength thermosetting resin composites. Exterior and interior fibreglass coating. Waterproofing, elimination of thermal bridges generated by the wood. Structure made of extruded materials with higher heat insulation. Industrial type assembly to ensure high quality standards.



// Connection roof / wall

Reinforced aluminum profiles, with 160 mm radius. High strength to the structure. Higher heat isolation and stability. Only for Kea P, K-Yacht Tekno Design and K-Yacht Tekno Line range foreseen.

MOBILVETTA // STORAGE







// THE STORAGE COMPARTMENTS ON

CHASSIS CAB VERSIONS
















1 Locker with load platform flush with no step. Garage with lighting.



2 Large storage drawers.



3 There are practical storage and bottle compartments in the surface of the floor.








6 External storage integrated on the sideskirts.

// THE STORAGE COMPARTMENTS ON

CHASSIS MOTORHOME


K. Silver i













1 Locker with load platform flush with no step. Garage with lighting.




2 Large storage drawers.



There are practical storage and bottle compartments in the surface of the floor.



4 Functional storage compartment.



5 Great storage in side sofa.



6 Rear storage hatch.



7 AL-KO frame with double pass-through floor K Yacht Tekno Line.



8 AL-KO frame with double pass-through floor K-Yacht Tekno Design.

MOBILVETTA // DOUBLE FLOOR



- **1** AMC lowered frame with modular construction system featuring low weigth
- 2 Hot-galvanised frame
- 3 Axle with wider track
- 4 Torsion bar axle
- 5 Independent wheel suspensions



- Bottom floor
- 2 Upper floor reinforcement structure
- 3 Drain water tank housing compartment
- 4 Fresh water tank housing compartment
- **5** Technical compartment for electric system



- 1 Technical volume of tank located on the rear axle (lower centreline effect)
- 2 Volume of rear locker (layout with garage)
- 3 Volume of front pass-through locker
- 4 Access to the pass-through locker (RH side)
- **S** Access to the pass-through locker (LH side)




// Test Drive-Track in Vairano di Vidigulfo

Recreational vehicles aren't cars, and that's exactly why you need to know how to react in emergency conditions to drive them safely. And that's why Mobilvetta has organised the first safe driving course for leisure vehicles.













// STANDARD MECHANICAL EQUIPMENT

K.Silver i	Kyacht	Kyacht Troopsis
Passenger Air-Bag	Passenger Air-Bag	Passenger Air-Bag
Cab manual Air conditioning	Cab manual Air conditioning	Cab manual Air conditioning
Cruise Control	Cruise Control	Cruise Control
Alloy wheels 16 "inches	Esp And Traction+ With Hill Descent	Esp And Traction+ With Hill Descent
Electric rear view mirrors with defroster	High Level Dashboard	High Level Dashboard
Radio presetting-radio and loudspekers pre-setting	Loungetrim Level (Dashboard with Bronze decoration)	Loungetrim Level (Dashboard with Bronze decoration)
Cup Holder	Leather Steering wheel and gear box knob	Leather Steering wheel and gear box knob
Swivel frontseats	Alloy wheels 16 " inches	Alloy wheels 16 " inches
Radio aerial integrated in the mirror	Electric rear view mirrors with defroster	Electric rear view mirrors with defroster
LED DRL	Radio presetting-radio and loudspekers pre-setting	2 Din Radio Touch Screen with Android Auto / Apple Car Play
	Cup Holder	Steering wheel radio controls (Bluetooth Radio)
	Swivel frontseats	Cup Holder
	Radio aerial integrated in the mirror	Swivel frontseats
	LED DRL	Radio aerial integrated in the mirror
		LED DRL

// OPTIONAL MECHANICAL EQUIPMENT

K.Silver i	Kyacht	K. Yacht
Automatic Air-Conditioning	Automatic Air-Conditioning	Automatic Air-Conditioning
Esp And Traction+ With Hill Descent	Steering wheel radio controls (Bluetooth Radio)	Automatic Gearbox
High Level Dashboard	Bluetooth Radio	
Techno Trim Level (Dashboard with silver decoration)	High-level Radio (Radio steeringwheel control incl)	
Steering wheel radio controls	High-level Radio - Tom Tom Navi (Radio steeringwheel control incl)	
Bluetooth Radio	Automatic Gearbox	
High-level Radio (Radio steeringwheel control incl)		
High-level Radio - Tom Tom Navi (Radio steeringwheel control incl)		
Steering wheel and gear box knob leather		
Automatic Gearbox		





// STANDARD MECHANICAL EQUIPMENT

Kea M	Kea P	K.Silver
Passenger Air-Bag	Passenger Air-Bag	Passenger Air-Bag
Cab manual Air conditioning	Cab manual Air conditioning	Cab manual Air conditioning
Cruise Control	Cruise Control	Cruise Control
Black Grill	Black Grill	Black Grill
Black Skidplate	Black Skidplate	Black Skidplate
Electric rear view mirrors with defroster	Electric rear view mirrors with defroster	Electric rear view mirrors with defroster
Radio presetting-radio and loudspekers pre-setting	Radio presetting-radio and loudspekers pre-setting	Radio presetting-radio and loudspekers pre-setting
Frontbumper in white	Frontbumper in white	Frontbumper in white
Cup Holder	Cup Holder	Cup Holder
Swivel frontseats	Swivel frontseats	Swivel frontseats
Radio aerial integrated in the mirror	Radio aerial integrated in the mirror	Radio aerial integrated in the mirror

// OPTIONAL MECHANICAL EQUIPMENT

Kea M	Kea P	K.Silver
Automatic Air-Conditioning	Automatic Air-Conditioning	Automatic Air-Conditioning
Esp And Traction+ With Hill Descent	Esp And Traction+ With Hill Descent	Esp And Traction+ With Hill Descent
High Level Dashboard	High Level Dashboard	High Level Dashboard
Techno Trim Level (Dashboard with silver decoration)	Techno Trim Level (Dashboard with silver decoration)	Techno Trim Level (Dashboard with silver decoration)
Steering wheel radio controls (Bluetooth Radio)	Steering wheel radio controls (Bluetooth Radio)	Steering wheel radio controls (Bluetooth Radio)
Bluetooth Radio	Bluetooth Radio	Bluetooth Radio
High-level Radio (Radio steeringwheel control incl)	High-level Radio (Radio steeringwheel control incl)	High-level Radio (Radio steeringwheel control incl)
High-level Radio - Tom Tom Navi (Radio steeringwheel control incl)	High-level Radio - Tom Tom Navi (Radio steeringwheel control incl)	High-level Radio - Tom Tom Navi (Radio steeringwheel control incl)
Steering wheel and gear box knob leather	Steering wheel and gear box knob leather	Steering wheel and gear box knob leather
Alloy wheels 16 " inches	Alloy wheels 16 " inches	Alloy wheels 16 " inches
LED DRL	LED DRL	LED DRL
Fog lights	Fog lights	Fog lights
Automatic Gearbox	Automatic Gearbox	Automatic Gearbox
Metallic painting	Metallic painting	Metallic painting




K-Yacht TD **79** // 7,44 MT






Model		MH-79
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet (Opt: AL-KO)
Number of beds		4
Approved seats (3500 kg)		4
Approved seats (3650 kg)		4
5th homologated seat in running order	94,0	
Approved seats (3850 kg) with mandatory ESP		4





K-Yacht TD **85** // 7,44 MT





Model		MH-85
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet (Opt: AL-KO)
Number of beds		4
Approved seats (3500 kg)		4
Approved seats (3650 kg)		4
5th homologated seat in running order	94,0	
Approved seats (3850 kg) with mandatory ESP		4








K-Yacht TD **89** // 7,44 MT





Model		MH-89
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet (Opt: AL-KO)
Number of beds		4
Approved seats (3500 kg)		4
Approved seats (3650 kg)		4
5th homologated seat in running order	94,0	
Approved seats (3850 kg) with mandatory ESP		4





// ALL AS STANDARD





Great aerodynamycs.



Integrated DRL lights.



Alloy wheels 16"



External storage integrated on the sideskirts.





CSS -CELL SOUND SYSTEM Audio diffusion system for the day area and night area.



External water intake with warm / cold mixer as practical shower and standard equipment.



Multifuntion external socket for TV -12 / 220 volt and satellite.



Welcome Home-external lighting.



V-Sofà-Ergonomic two-seater sofa with V-shaped



Swivel seats with double armrests and integrated belt.



Socket with USB input for recharging your tech devices.



Functional storage compartment in the cab.



Functional storage compartment.



adjustment through a single control panel.



Mobilvetta branded carpets.



Ornamental LED lighting.

Model		Tek	K-YACH no Des MH-79	ign	Tekı	-YACHT no Design MH-85	K-YACHT Tekno Design MH-89			
Chassis	Weight OPT	cc.23	Ducato 300 Mu pt: AL-k	ltijet	cc.23	Oucato X290 00 Multijet ot: AL-KO)	cc.2	FIAT Ducato X290 cc.2300 Multijet (Opt: AL-KO)		
Power HP		130	150	180	130	150 180	130	150	180	
Power kW		96	110	130	96	110 130	96	110	130	
Maximum permissible mass kg (*)		3500	/ 3650 /	3850	3500/	3650 / 3850	3500	3500 / 3650 / 3850		
Total mass in running order kg.		3158	/ 3257 /	3257	3158/	3257 / 3257	3158	/ 3257 /	/ 3257	
Max. user payload kg.		342	/ 393 /	593	342	/ 393 / 593	342	/ 393 /	593	
Max. Towing capacity kg. (braked)			2000			2000		2000		
Maximum allowed mass kg. (chassis Heavy 130cv / 150-180cv)	40,0	42	50 / 44	00	425	50 / 4400	42	50 / 44	00	
Heated windshield (only MOTORHOME)	1,0		Opt			Opt	Opt			
Rear parking sensors	2,0		Opt			Opt		Opt		
LOUNGETRIM LEVEL (bronze dashboard)	1,0		STD			STD		STD		
Automatic gear box	18,0		Opt			Opt	Opt			
Manual cab air conditionig			STD			STD	STD			
Automatic cab air conditioning	0,0		Opt			Opt	Opt			
Fresh water tank Lt. (total capacity when stopped)			120 Lit.		1	120 Lit.	120 Lit.			
Fresh water tank Lt. (total capacity when on the way) (**)			20 Lit.			20 Lit.	20 Lit.			
Waste water tank Lt.			125 Lit.		1	100 Lit.	100 Lit.			
Three-way fridge Lt.			150 Lit.		1	150 Lit.	150 Lit.			
Oven	14,0		Opt			Opt	Opt			
Heating system / Heater with air ventilation		(COMBI	5	C	OMBI 6	COMBI 6			
Heating system COMBI Diesel / COMBI EH	2,0		Opt			Opt	Opt			
Heated floor	7,0		STD			STD	STD			
Front transparent rooflight (40x40 cm) / drop-down bed			STD			STD	STD			
Front Rooflight MIDI-HEKI, (50x70 cm)			STD			STD	STD			
Transparent rooflight (40x40 cm) (kitchen area)			STD			STD	STD			
Turbovent (40x40 cm) (kitchen area)	1,0		Opt			Opt		Opt		
Transparent rooflight (28x28 cm) (bathroom)			STD			STD	STD			
Rear Rooflight MIDI-HEKI, (50x70 cm)			STD			STD		STD		
Dinette table with 360° rotation			STD			STD		STD		
Rear bed electrically adjustable			STD		-			STD		
Matress cover	2,0		Opt			Opt		Opt		
Entrance door with mosquito net, window and dustbin			STD			STD		STD		
Carpet living area	7,0		Opt			Opt		Opt		
Pres-seting for rear-camera / Rear camera	1,0	S	TD / Op	ot	ST	TD / Opt	S	TD / Op	ot	
COLD KIT (Outisde mats for cabin + dashboard mats)	8,0		Opt			Opt	Opt			
Solar Panel 120W + REGULATOR	11,0		Opt			Opt	Opt			
External mirror with camera	1,0		Opt			Opt		Opt		
Prewiring second battery	0,5		Opt			Opt		Opt		
See										

^{*)} Calculated mass on light 130 HP
***) Pls. Check 20 Lts. filling before driving
****) WINTER PACK: Insulated waste water tank and exaust valve with antifreezing resistor




K-Yacht TKL **79** // 7,43 MT





Model MH-79 Chassis Weight OPT FIAT Ducato X290 cc.2300 Multijet (Opt: AL-KO) Number of beds - 4 Approved seats (3500 kg) - 4 Approved seats (3650 kg) - 4 5th homologated seat in running order 94,0 Opt (3650 / 3850 kg)






Approved seats (3850 kg) with mandatory ESP

K-Yacht TKL **80** // 6,99 MT





Model		MH-80							
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet (Opt: AL-KO)							
Number of beds		4							
Approved seats (3500 kg)		4							
Approved seats (3650 kg)		4							
5th homologated seat in running order	94,0	Opt (3650 / 3850 kg)							
Approved seats (3850 kg) with mandatory ESP		4							




K-Yacht TKL **85** // 7,38 MT






Model	MH-85						
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet (Opt: AL-KO)					
Number of beds		4					
Approved seats (3500 kg)		4					
Approved seats (3650 kg)		4					
5th homologated seat in running order	94,0	Opt (3650 / 3850 kg)					
Approved seats (3850 kg) with mandatory ESP		4					








K-Yacht TKL **86** // 7,44 MT





Model		MH-86
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet (Opt: AL-KO)
Number of beds		4
Approved seats (3500 kg)		4
Approved seats (3650 kg)		4
5th homologated seat in running order	94,0	
Approved seats (3850 kg)		4






K-Yacht TKL **89** // 7,43 MT





Model		MH-89
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet (Opt: AL-KO)
Number of beds		4
Approved seats (3500 kg)		4
Approved seats (3650 kg)		4
5th homologated seat in running order	94,0	Opt (3650 / 3850 kg)
Approved seats (3850 kg) with mandatory FSP		4




K-Yacht TKL **90** // 7,44 MT






Model		MH-90
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet (Opt: AL-KO)
Number of beds		4
Approved seats (3500 kg)		4
Approved seats (3650 kg)		4
5th homologated seat in running order	94,0	
Approved seats (3850 kg) with mandatory ESP		4






// ALL AS STANDARD





















External water intake with warm / cold mixer as practical shower and standard equipment.



Multifuntion external socket for TV -12 / 220 volt and



Welcome Home-external lighting.





Pleated blinds. Ergonomic seats with integrated belt.



Socket with USB input for recharging your tech devices.



Multifunctional touchscreen control board.





Storage box in surface of the floor. Insulated storage compartment and container.



Tek wood panel for shower base.



Mobilvetta branded carpets.



Model		K-YACHT Tekno Line MH-79		Tekno Line Tekno Line						K-YACHT K-YACHT Tekno Line MH-86 MH-89			K-YACHT Tekno Line MH-90						
Chassis	Weight OPT	cc.23	Oucato 00 Mu ot: AL-K	ltijet		FIAT Ducato X290 cc.2300 Multijet		cc.23	FIAT Ducato X29 cc.2300 Multije (Opt: AL-KO)		FIAT Ducato X290 cc.2300 Multijet (Opt: AL-KO)		c.2300 Multijet		FIAT Ducato X290 cc.2300 Multijet (Opt: AL-KO)		FIAT Ducato X290 cc.2300 Multijet (Opt: AL-KO)		
Power HP		130	150	180	130	150	180	130	150	180	130	150	180	130	150	180	130	150	180
Power kW		96	110	130	96	110	130	96	110	130	96	110	130	96	110	130	96	110	130
Maximum permissible mass kg. (*)		3500 /	3650 /	3850	3500	/ 3650	/ 3850	3500 / 3650 / 3850		3500 / 3650 / 3850		3500 / 3650 / 3850		3500 / 3650 / 385		/ 3850			
Total mass in running order kg.		3158	3257 /	3257	3162	/ 3163	/ 3163	3158 /	3158 / 3257 / 3257		3157 / 3253 / 3253		3253	3158 / 3257 / 3257		3157 / 3253 / 3253		/ 3253	
Max. user payload kg.		342	/ 393 /	593	338	/ 487 /	687	342	/ 393	/ 593	343	/ 397 /	597	342 / 393 / 593		343 / 397 / 597			
Max. Towing capacity kg. (braked)			2000			2000			2000)		2000			2000		2000		
Maximum allowed mass kg. (chassis Heavy 130cv / 150-180cv)	40,0	42	50 / 44	00	42	50 / 44	00	42.	4250 / 4400			50 / 44	00	4250 / 4400		4250 / 4400			
Heated windshield (only MOTORHOME)	1,0		Opt			Opt			Opt			Opt			Opt		Opt		
Rear parking sensors	2,0		Opt			Opt			Opt			Opt			Opt		Opt		
LOUNGETRIM LEVEL (bronze dashboard)	1,0		STD			STD			STD			STD			STD		STD		
Steel wheels 16" (Std. on chasis Heavy)	3,0							-											
Automatic gear box	18,0		Opt			Opt			Opt		Opt			Opt			Opt		
Manual cab air conditionig			STD		STD		STD		STD		STD			STD					
Automatic cab air conditioning	0,0		Opt			Opt		Opt		Opt		Opt		Opt					
Fresh water tank Lt. (total capacity when stopped)			120 Lit.		120 Lit.		120 Lit.		120 Lit.		120 Lit.		120 Lit.						
Fresh water tank Lt. (total capacity when on the way) (**)			20 Lit.		20 Lit.		20 Lit.		20 Lit.		20 Lit.			20 Lit.					
Waste water tank Lt.			l 10 Lit.			110 Lit		110 Lit.		110 Lit.		110 Lit.			110 Lit.				
Three-way fridge Lt.			150 Lit.		150 Lit.		150 Lit.		150 Lit.		150 Lit.			150 Lit.					
Oven	14,0		Opt			Opt		Opt			Opt		Opt			Opt			
Heating system / Heater with air ventilation		C	OMBI 6	5	COMBI 6		6	COMBI 6		16	COMBI 6		5	COMBI 6		5	COMBI 6		6
Heating system COMBI Diesel / COMBI EH	2,0		Opt			Opt		Opt			Opt		Opt			Opt			
Heated floor	7,0		STD			STD		STD			STD			STD			STD		
Front transparent rooflight (40x40 cm) / drop-down bed			STD			STD		STD				STD			STD		STD		
Front Rooflight HEKI III (60x90 cm)	6,0		STD				-		STD			STD			STD			STD	
Transparent rooflight (40x40 cm) (kitchen area)						STD		-			-								-
Transparent rooflight (28x28 cm) (bathroom)			STD			STD			STD			STD			STD			STD	
Rear Rooflight MIDI-HEKI, (50x70 cm)			STD			STD			STD			STD			STD			STD	
Rear Rooflight HEKI 3 (60x90 cm)	6,0		Opt			Opt			Opt			Opt			Opt			Opt	
Rear bed electrically adjustable			STD			STD		-			-				STD			STD	
Matress cover	2,0		Opt			Opt			Opt			Opt			Opt			Opt	
Entrance door with mosquito net, window and dustbin			STD			STD			STD			STD			STD		STD		
Carpet living area	7,0		Opt			Opt		Opt Opt			Opt			Opt					
Pres-seting for rear-camera / Rear camera	1,0	S.	STD / Opt			TD/O	ot	STD / Opt		STD / Opt		ot	STD / Opt		t	STD / Opt		ot	
COLD KIT (Outisde mats for cabin + dashboard mats)	8,0		Opt			Opt			Opt			Opt			Opt		Opt		
Solar Panel 120W + REGULATOR	11,0		Opt			Opt				Opt		Opt		Opt			Opt		
See																			

See

^{*)} Calculated mass on light 130 HP

**) Pls. Check 20 Lts. filling before driving

***) WINTER PACK: Insulated waste water tank and exaust valve with antifreezing resistor


K. Silver i

K-Silver i **56** // 7,40 MT





Model	MH-56				
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet			
Number of beds		4			
Approved seats (3500 kg)		4			
Approved seats (3650 kg)		4			
5th homologated seat in running order	94,0	0pt			
Approved seats (3850 kg) with mandatory ESP		4			



K-Silver i **58** // 7,40 MT





Model		MH-58
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet
Number of beds		4
Approved seats (3500 kg)		4
Approved seats (3650 kg)		4
5th homologated seat in running order	94,0	0pt
Approved seats (3850 kg) with mandatory ESP		4






K-Silver i **59** // 7,40 MT





Model		MH-59
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet
Number of beds		4
Approved seats (3500 kg)		4
Approved seats (3650 kg)		4
5th homologated seat in running order	94,0	0pt
Approved seats (3850 kg) with mandatory ESP		4











Entrance door with window, blinder, integrated dustbin and pleated sliding mosquito net.







Pleated blinds. Ergonomic seats with integrated belt.



Storage bedside tables.



Swivel seats with double armrests and integrated belt.



LED lighting under drop-down bed.



"Space-saver" drop-down bed mechanism.



Great storage in side sofa.






Storage box in surface of the floor. Insulated storage compartment and container.



Sofa with adjustable headrest.



Night Light Marks.



Mobilvetta branded carpets.

		K-SILVER i	K-SILVER i	K-SILVER i		
Model		MH-56	MH-58	MH-59		
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet	FIAT Ducato X290 cc.2300 Multijet	FIAT Ducato X290 cc.2300 Multijet		
Power HP		130 150 180	130 150 180	130 150 180		
Power kW		96 110 130	96 110 130	96 110 130		
Maximum permissible mass kg. (*)		3500 / 3650 / 3850	3500 / 3650 / 3850	3500 / 3650 / 3850		
Total mass in running order kg.		3158 / 3163 / 3163	3158 / 3163 / 3163	3158 / 3163 / 3163		
Max. user payload kg.		342 / 487 / 687	342 / 487 / 687	342 / 487 / 687		
Max. Towing capacity kg. (braked)		2000	2000	2000		
Maximum allowed mass kg. (chassis Heavy 130cv / 150-180cv)	40,0	4250 / 4400	4250 / 4400	4250 / 4400		
Heated windshield (only MOTORHOME)	1,0	Opt	Opt	Opt		
Rear parking sensors	2,0	Opt	Opt	Opt		
TECHNOTRIM LEVEL (silver dashboard)	1,0	Opt	Opt	Opt		
Alloy wheels 15"						
Alloy wheels (16 " only)	3,0	STD	STD	STD		
Automatic gear box	18,0	Opt	Opt	Opt		
Manual cab air conditionig		STD	STD	STD		
Automatic cab air conditioning	0,0	Opt	Opt	Opt		
Fresh water tank Lt. (total capacity when stopped)		120 Lit.	120 Lit.	120 Lit.		
Fresh water tank Lt. (total capacity when on the way) (**)		20 Lit.	20 Lit.	20 Lit.		
Waste water tank Lt.		110 Lit.	110 Lit.	110 Lit.		
Three-way fridge Lt.		150 Lit.	150 Lit.	150 Lit.		
Oven	14,0	Opt	Opt	Opt		
Heating system / Heater with air ventilation		COMBI 4	COMBI 4	COMBI 4		
Heating system COMBI Diesel / COMBI EH	2,0	Opt	Opt	Opt		
Heated floor	7,0	Opt	Opt	Opt		
Front transparent rooflight (40x40 cm) / drop-down bed		STD	STD	STD		
Front Rooflight MIDI-HEKI, (50x70 cm)		STD	STD	STD		
Front Rooflight HEKI III (60x90 cm)	6,0	Opt	Opt	Opt		
Transparent rooflight (40x40 cm) (kitchen area)		STD	STD	STD		
Turbovent (40x40 cm) (kitchen area)	1,0	Opt	Opt	Opt		
Transparent rooflight (28x28 cm) (bathroom)		STD	STD	STD		
Rear Rooflight MIDI-HEKI, (50x70 cm)		STD	STD	STD		
Rear Rooflight HEKI 3 (60x90 cm)	6,0	Opt	Opt	Opt		
External water intake with mixer						
Shower platform in Tek wood						
Rear bed manually adjustable			STD	STD		
Matress cover	2,0	Opt	Opt	Opt		
Carpet living area	7,0	Opt	Opt	Opt		
Pres-seting for rear-camera / Rear camera	1,0	STD / Opt	STD / Opt	STD / Opt		
COLD KIT (Outisde mats for cabin + dashboard mats)	8,0	Opt	Opt	Opt		
Solar Panel 120W + REGULATOR	11,0	Opt	Opt	Opt		
See						

^{*)} Calculated mass on light 130 HP

**) Pls. Check 20 Lts. filling before driving

***) WINTER PACK: Insulated waste water tank and exaust valve with antifreezing resistor




K-SILVER **54** // 6,85 MT





Model		54
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet
Number of beds		4
Approved seats (3500 kg)		4
Approved seats (3650 kg)		4
5th homologated seat in running order	94,0	
Approved seats (3850 kg) with mandatory ESP		4



K-SILVER **56** // 7,38 MT












K-SILVER **58** // 7,38 MT




Model		58
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet
Number of beds		5
Approved seats (3500 kg)		5
Approved seats (3650 kg)		5
5th homologated seat in running order	94,0	
Approved seats (3850 kg) with mandatory ESP		5



K-SILVER **59** // 7,38 MT



Model		59
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet
Number of beds		5
Approved seats (3500 kg)		5
Approved seats (3650 kg)		5
5th homologated seat in running order	94,0	ww.
Approved seats (3850 kg) with mandatory ESP		5





Front bumpers in white, black gloss front grille & black bezel headlamps, black skid plate.



Nautical style for the modern canopy with built in Sky-Dome.



Front bumpers in white.



Entrance door with window, blinder, integrated dustbin and pleated sliding mosquito net.



Centralized locking cabin / body with remote control.



Welcome Home-external lighting.



Aluminium skirts in metallic anthracite painting.



Large drawers.



Sliding basket in the kitchen peninsula.




Support for surface.



Swivel seats with double armrests and integrated belt.



Rotating TV holder.



Night Light Marks.



CP PLUS Central heating system control board Boost function for both a fast water and environment heating. Timer Heat regulator.



Winter pack.

		K-SILVER K-SILVER		K-SILVER	K-SILVER	
Model		54	54 56		59	
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet				
Power HP		130 150 180	130 150 180	130 150 180	130 150 180	
Power kW		96 110 130	96 110 130	96 110 130	96 110 130	
Maximum permissible mass kg. (*)		3500 / 3650 / 3850	3500 / 3650 / 3850	3500 / 3650 / 3850	3500 / 3650 / 3850	
Total mass in running order kg.		3157 / 3157 / 3157	3073 / 3177 / 3177	3073 / 3177 / 3177	3073 / 3177 / 3177	
Max. user payload kg.		343 / 493 / 693	427 / 473 / 673	427 / 473 / 673	427 / 473 / 673	
Max. Towing capacity kg. (braked)		2000	2000	2000	2000	
Maximum allowed mass kg. (chassis Heavy 130cv/150-180cv)	40,0		4250 / 4400		4250 / 4400	
Rear parking sensors	2,0	Opt	Opt	Opt	Opt	
TECHNOTRIM LEVEL (silver dashboard)	1,0	Opt	Opt	Opt	Opt	
Alloy wheels 15"		Opt	Opt	Opt	Opt	
Alloy wheels (16 " only)	3,0		Opt		Opt	
Steel wheels 16 "(Std. on chasis Heavy)	3,0		Opt		Opt	
Automatic gear box	18,0	Opt	Opt	Opt	Opt	
Manual cab air conditionig		STD	STD	STD	STD	
Automatic cab air conditioning	0,0	Opt	Opt	Opt	Opt	
LED DRL	0,5	Opt	Opt	Opt	Opt	
Fresh water tank Lt. (total capacity when stopped)		120 Lit.	120 Lit.	120 Lit.	120 Lit.	
Fresh water tank Lt. (total capacity when on the way) (**)		20 Lit.	20 Lit.	20 Lit.	20 Lit.	
Waste water tank Lt.		110 Lit.	110 Lit.	110 Lit.	110 Lit.	
Three-way fridge Lt.		142 Lit.	150 Lit.	150 Lit.	150 Lit.	
Oven	14,0	Opt	Opt	Opt	Opt	
Heating system / Heater with air ventilation		COMBI 4	COMBI 4	COMBI 4	COMBI 4	
Heating system COMBI Diesel / COMBI EH	2,0	Opt	Opt	Opt	Opt	
Heated floor	7,0	Opt	Opt	Opt	Opt	
SKYDOME		STD	STD	STD	STD	
Front transparent rooflight (40x40 cm) / drop-down bed		STD	STD	STD	STD	
Transparent rooflight (40x40 cm) (kitchen area)		STD	STD	STD	STD	
Turbovent (40x40 cm) (kitchen area)	1,0	Opt	Opt	Opt	Opt	
Transparent rooflight (28x28 cm) (bathroom)		STD	STD	STD	STD	
Rear Rooflight MIDI-HEKI, (50x70 cm)		STD	STD	STD	STD	
Rear bed manually adjustable		STD		STD	STD	
Matress cover	2,0	Opt	Opt	Opt	Opt	
Cab pleated mats	8,0	Opt	Opt	Opt	Opt	
Carpet living area	7,0	Opt	Opt	Opt	Opt	
Pres-seting for rear-camera / Rear camera	1,0	STD / Opt	STD / Opt	STD / Opt	STD / Opt	
COLD KIT (Outisde mats for cabin + dashboard mats)	8,0	Opt	Opt	Opt	Opt	
Solar Panel 120W + REGULATOR	11,0	Opt	Opt	Opt	Opt	

See


^{*)} Calculated mass on light 130 HP

**) Pls. Check 20 Lts. filling before driving

***) WINTER PACK: Insulated waste water tank and exaust valve with antifreezing resistor




KEA P**65** // 7,38 MT




Model		P65
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet
Number of beds		4
Approved seats (3500 kg)		4
Approved seats (3650 kg)		4
5th homologated seat in running order	94,0	Opt (3650 kg)
Approved seats (3850 kg) with mandatory ESP		4



KEA P**67** // 6,99 MT




Model		P67
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet
Number of beds		4
Approved seats (3500 kg)		4
Approved seats (3650 kg)		4
5th homologated seat in running order	94,0	0pt
Approved seats (3850 kg) with mandatory ESP		4






KEA P**68** // 7,38 MT



Model		P68
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet
Number of beds		4
Approved seats (3500 kg)		4
Approved seats (3650 kg)		4
5th homologated seat in running order	94,0	Opt (3650 kg)
Approved seats (3850 kg) with mandatory ESP		4



// ALL AS STANDARD






Front bumpers in white, black gloss front grille & black bezel headlamps, black skid plate.



Nautical style for the modern canopy with built in Sky-Dome.



Welcome Home-external lighting.



Entrance door with window, blinder, integrated dustbin and pleated sliding mosquito net.



Centralized locking cabin / body with remote control.



External water intake with warm / cold mixer as practical shower and standard equipment.



Multifuntion external socket for TV -12 / 220 volt and satellite.



External storage integrated on the sideskirts.





Socket with USB input for recharging your tech devices.



Swivel seats with double armrests and integrated belt.



Tek wood panel for shower base.



Storage box in surface of the floor. Insulated storage compartment and container.



Extractor hood.



Night Light Marks.



Mobilvetta branded carpets.

		KEA	KEA	KEA
Model		P65	P67	P68
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet	FIAT Ducato X290 cc.2300 Multijet	FIAT Ducato X290 cc.2300 Multijet
Power HP		130 150 180	130 150 180	130 150 180
Power kW		96 110 130	96 110 130	96 110 130
Maximum permissible mass kg. (*)		3500 / 3650 / 3850	3500 / 3650 / 3850	3500 / 3650 / 3850
Total mass in running order kg.		3158 / 3163 / 3163	3162/3177/3177	3158 / 3163 / 3163
Max. user payload kg.		342 / 487 / 687	338 / 473 / 673	342 / 487 / 687
Max. Towing capacity kg. (braked)		2000	2000	2000
Maximum allowed mass kg. (chassis Heavy 130cv / 150-180cv)	40,0	4250 / 4400	4250 / 4400	4250 / 4400
Heated windshield (only MOTORHOME)	1,0			
Rear parking sensors	2,0	Opt	Opt	Opt
TECHNOTRIM LEVEL (silver dashboard)	1,0	Opt	Opt	Opt
Alloy wheels 15"		Opt	Opt	Opt
Alloy wheels (16" only)	3,0	Opt	Opt	Opt
Steel wheels 16 "(Std. on chasis Heavy)	3,0	Opt	Opt	Opt
Automatic gear box	18,0	Opt	Opt	Opt
Manual cab air conditionig		STD	STD	STD
Automatic cab air conditioning	0,0	Opt	Opt	Opt
LED DRL	0,5	Opt	Opt	Opt
Fresh water tank Lt. (total capacity when stopped)		120 Lit.	120 Lit.	120 Lit.
Fresh water tank Lt. (total capacity when on the way) (**)		20 Lit.	20 Lit.	20 Lit.
Waste water tank Lt.		110 Lit.	110 Lit.	110 Lit.
Three-way fridge Lt.		150 Lit.	150 Lit.	150 Lit.
Oven	14,0	Opt	Opt	Opt
Heating system / Heater with air ventilation		COMBI 6	COMBI 6	COMBI 6
Heating system COMBI Diesel / COMBI EH	2,0	Opt	Opt	Opt
Heated floor	7,0	Opt	Opt	Opt
Front transparent rooflight (40x40 cm) / drop-down bed		STD	STD	STD
Transparent rooflight (40x40 cm) (kitchen area)		STD	STD	STD
Turbovent (40x40 cm) (kitchen area)	1,0	Opt	Opt	Opt
Transparent rooflight (28x28 cm) (bathroom)		STD	STD	STD
Rear Rooflight MIDI-HEKI, (50x70 cm)		STD	STD	STD
Rear Rooflight HEKI 3 (60x90 cm)	6,0	Opt		Opt
Rear bed electrically adjustable			STD	STD
Matress cover	2,0	Opt	Opt	Opt
Cab pleated mats	8,0	Opt	Opt	Opt
Carpet living area	7,0	Opt	Opt	Opt
Pres-seting for rear-camera / Rear camera	1,0	STD / Opt	STD / Opt	STD / Opt
COLD KIT (Outisde mats for cabin + dashboard mats)	8,0	Opt	Opt	Opt
Solar Panel 120W + REGULATOR	11,0	Opt	Opt	Opt
See				


^{*)} Calculated mass on light 130 HP

**) Pls. Check 20 Lts. filling before driving


***) WINTER PACK: Insulated waste water tank and exaust valve with antifreezing resistor




KEA M74 // 7,26 MT





Model		M74
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet
Number of beds		4
Approved seats (3500 kg)		4
Approved seats (3650 kg)		4
5th homologated seat in running order	94,0	Opt (3650 kg)
Approved seats (3850 kg) with mandatory ESP		4



KEA M**76** // 7,32 MT










KEA M**79** // 7,38 MT



Model		M79
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet
Number of beds		4
Approved seats (3500 kg)		4
Approved seats (3650 kg)		4
5th homologated seat in running order	94,0	Opt (3650 kg)
Approved seats (3850 kg) with mandatory ESP		4



// ALL AS STANDARD






Front bumpers in white, black gloss front grille & black bezel headlamps, black skid plate.



Cabover openable window.





Entrance door with window, blinder, integrated dustbin and pleated sliding mosquito net.



Centralized locking cabin / body with remote control.



External water intake with warm / cold mixer as practical shower and standard equipment.



Multifuntion external socket for TV -12 / 220 volt and satellite.



External storage integrated on the sideskirts.





Socket with USB input for recharging your tech devices.



Folding coachbuilt bed. Cab seats with double armrests.



Tek wood panel for shower base.



Storage box in surface of the floor. Insulated storage compartment and container.



Extractor hood.



Night Light Marks.



Mobilvetta branded carpets.

		KEA	KEA	KEA
Model		M74	M76	M79
Chassis	Weight OPT	FIAT Ducato X290 cc.2300 Multijet	FIAT Ducato X290 cc.2300 Multijet	FIAT Ducato X290 cc.2300 Multijet
Power HP		130 150 180	130 150 180	130 150 180
Power kW		96 110 130	96 110 130	96 110 130
Maximum permissible mass kg. (*)		3500 / 3650 / 3850	3500 / 3650 / 3850	3500 / 3650 / 3850
Total mass in running order kg.		3158 / 3183 / 3183	3158/3183/3183	3158 / 3183 / 3183
Max. user payload kg.		342 / 467 / 667	342 / 467 / 667	342 / 467 / 667
Max. Towing capacity kg. (braked)		2000	2000	2000
Maximum allowed mass kg. (chassis Heavy 130cv/150-180cv)	40,0	4250 / 4400	4250 / 4400	4250 / 4400
Rear parking sensors	2,0	Opt	Opt	Opt
TECHNOTRIM LEVEL (silver dashboard)	1,0	Opt	Opt	Opt
Alloy wheels 15"		Opt	Opt	Opt
Alloy wheels (16 " only)	3,0	Opt	Opt	Opt
Steel wheels 16 "(Std. on chasis Heavy)	3,0	Opt	Opt	Opt
Automatic gear box	18,0	Opt	Opt	Opt
Manual cab air conditionig		STD	STD	STD
Automatic cab air conditioning	0,0	Opt	Opt	Opt
LED DRL	0,5	Opt	Opt	Opt
Fresh water tank Lt. (total capacity when stopped)		120 Lit.	120 Lit.	120 Lit.
Fresh water tank Lt. (total capacity when on the way) **		20 Lit.	20 Lit.	20 Lit.
Waste water tank Lt.		110 Lit.	110 Lit.	110 Lit.
Three-way fridge Lt.		150 Lit.	150 Lit.	150 Lit.
Oven	14,0	Opt	Opt	Opt
Heating system / Heater with air ventilation		COMBI 6	COMBI 6	COMBI 6
Heating system COMBI Diesel/COMBI EH	2,0	Opt	Opt	Opt
Heated floor	7,0	Opt	Opt	Opt
Front Rooflight HEKI 2 (60x90 cm)	6,0	STD	STD	STD
Transparent rooflight (40x40 cm) (kitchen area)		STD		
Transparent rooflight (28x28 cm) (bathroom)		STD	STD	STD
Rear Rooflight MIDI-HEKI, (50x70 cm)		STD	STD	STD
Dinette table with 360° rotation		STD	STD	STD
Matress cover	2,0	Opt	Opt	Opt
Cab pleated mats	8,0	Opt	Opt	Opt
Carpet living area	7,0	Opt	Opt	Opt
Pres-seting for rear-camera / Rear camera	1,0	STD / Opt	STD / Opt	STD / Opt
COLD KIT (Outisde mats for cabin + dashboard mats)	8,0	Opt	Opt	Opt
Solar Panel 120W + REGULATOR	11.0	Opt	Opt	Opt
See	11,0	-		
*) Calculated mass on light 130 HP				
*) Calculated mass on light 130 HP **) Pls. Check 20 Lts. filling before driving				

The masses indicated in this catalogue refer to the provisions of European Directive 2007/46/EC.

MASS IN RUNNING ORDER

It includes the weight of the empty BASE vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and a gas tank for living purposes (20 kg).

The mass in running order, and consequently the payload and/or certified seats may vary depending on the accessories installed.

PAYLOAD

This consists of the difference between the maximum technically permissible laden mass and the mass in running order. It includes elements for living purposes, the transported passengers defined by the manufacturer (driver excluded), and the personal effects.

The payload calculation is based on the following parameters: 75 kg for each passenger (driver excluded), 10 kg of baggage for each passenger and for the driver, 10 kg for each metre of length of the vehicle, plus the remaining payload, which can be used for the installation of accessories or for additional baggage.

All masses and loads of the empty vehicle have a tolerance of +/- 5%, in compliance with Directive 2007/46/EC.

Any optional equipment increases the mass in running order and decreases the payload.

The weight of non-standard accessories is not included in the mass in running order indicated in this catalogue.

Additional accessories and devices reduce the payload by a quantity equal to their weight; the incidence of the weight of the individual accessories is shown in the special column in the technical data sheets or can be requested at our dealers.

In case certain accessories are installed (for example, additional elements such as coupling device or motorbike rack), the mass of these accessories will affect the payload, possibly reducing it along with the number of certified seats.

Please make sure that the maximum loads on the axles and the maximum technically permissible load mass are not exceeded during the complete loading phase of the vehicle.

The regulations and requirements of each country may entail changes in the characteristics of this table.

The number of certified seats may vary depending on the traffic regulations in force in each country.

NOTES:

SEA S.P.A. – MOBILVETTA reserves itself the right to change the characteristics and the furnishings of all its models with no advance notice required; all data contained in this leaflet must therefore be considered approximate and non-binding. Despite thorough checks of the contents, we cannot exclude possible printing and/or translating errors.

This catalogue does not constitute contractual documentation.

Any reproduction, including in part, of the test or of the content of this document is prohibited.

The indicated weights are exclusively approximated. Tolerances of +/-5 % are allowed.

Generally speaking, special equipment and options increase the no-load weight and entail a reduction in the payload.

We hereby decline any and all responsibility in case structural changes are made to the vehicle; any assembly, disassembly or changes carried out by unauthorised workshops may jeopardise your safety and cause the warranty clauses to be forfeited. For additional information on installation and technical details, please contact one of our dealers.



// VEHICLES' ORNAMENTS

LENE BJERRE // www.lenebjerre.com
BORGO DE MEDICI // www.borgodemedici.it
WALLY // www.wallycosmetici.com

SEA S.p.A. **MOBILVETTA**

Via Val d'Aosta, 4 - I - 53036 Poggibonsi (SI)

Tel :+39 0577 99511 Fax :+39 0577 995219 Website :www.mobilvetta.it

